

Wall mount enclosures for control units

NET-BOX plastic enclosures have a slim design and stylish curved top section, this makes these modern and elegant housings perfect for wall mounted control units, network nodes and much more.

- · three sizes with plenty of room for electronics and interfaces
- the connectors and cables are hidden under the front lid
- the cases are molded in flame retardant material and can be sealed to IP 65
- simple three part assembly bottom part, front cover and front lid; there are no visible screws on the front, just two on the underside of the lid
- screw pillars are provided in the bottom part for mounting PCBs and assemblies
- optional infill covers close the underside opening and can be used for fitting additional PCBs or assemblies
- three point wall mounting system no need to open the main electronics section, only the front lid has be refitted after installation (version II already has openings in the bottom part)
- supplied with anti-tamper Torx T10 assembly screws
- NET-BOX cases can also be used as desktop units, accessory non-slip feet are available



Applications and Examples

- Building management
- Central control units
- IoT/IIoT
- Smart Factory
- Industry 4.0
- Gateways
- Data acquisition systems
- · Data systems engineering
- Measuring and control technology
- Supervision terminals and access control
- · Medical and wellness technology



Esystop flow water stop system



IT for urban mobility



Gateway for the automation of production plants



Measuring station for stationary field measurements



Industrial Router



Sauna control



Intelligent Irrigation System



Signal lamp



Telecommunications station for independent professionals

View Customizing Options

What do you still need for your own very personal product? We can supply enclosures and tuning knobs with all necessary modifications for fitting your electronic components. Customizing options for Net-Box









RFI/EMI shielding



Installation / Assembly of accessories







Laser marking



Select Versions



B3214101 NET-BOX 140, Vers. I ASA+PC (UL 94 V-0) light gray RAL 7035 5.51"x5.51"x1.83" IP 65 opt., IP 40



B3222101 NET-BOX 220, Vers. I ASA+PC (UL 94 V-0) light gray RAL 7035 8.66"x8.66"x1.99" IP 65 opt., IP 40



NET-BOX 140, Vers. II ASA+PC (UL 94 V-0) light gray RAL 7035 5.51"x5.51"x1.83" IP 65 opt.




NET-BOX 180, Vers. I ASA+PC (UL 94 V-0) light gray RAL 7035 7.09"x7.09"x1.91" IP 65 opt., IP 40



B3218201 NET-BOX 180, Vers. II ASA+PC (UL 94 V-0) light gray RAL 7035 7.09"x7.09"x1.91" IP 65 opt.




B3222201 NET-BOX 220, Vers. II ASA+PC (UL 94 V-0) light gray RAL 7035 8.66"x8.66"x1.99" IP 65 opt.






B3314159 Sealing kit 140 Silicone black

Accessory "screws"



B3318159 Sealing kit 180 Silicone black



B3322159 Sealing kit 220 Silicone black



A0306031 Self-tapping screws 0.118" x 0.236" (PZ1)

Accessory



A9207150 Anti-slide feet 0.256" x 0.079" transparent



Torx T10 screwdriver



B3314918 Infill cover 140 ASA+PC (UL 94 V-0) Iava



B3318918 Infill cover 180 ASA+PC (UL 94 V-0) Iava



B3322918 Infill cover 220 ASA+PC (UL 94 V-0) Iava

Subject to technical modification without notice. © by OKW Gehäusesysteme, Buchen/Germany.

